

Always the best climate for

RELIABLE SOLUTIONS

with Zehnder's overall system for comfortable indoor ventilation

Zehnder has everything you need for optimum indoor ventilation. For every project.

Comfortable indoor ventilation from Zehnder gives peace of mind. Because we provide our customers with a modular system which can be used to quickly and easily cater for all building conditions. All products are perfectly matched to one another and are always in line with the very latest energy efficiency requirements and innovations. Our wealth of practical knowledge is also available to assist you with everything from planning to maintenance to make you a real expert in this field.

Zehnder offers you these ADVANTAGES

VENTILATION UNITS

suitable for every project

With the Zehnder COMPLETE SYSTEM everything fits together perfectly



PAGE **8-9**

The AIR DISTRIBUTION SYSTEM for any situation



PAGE 20-23

PAGE 12-19

PAGE 4-5

SERVICE to make your life easier

PAGE **26-27**

REFERENCES that demonstrate our versatility





CONTENTS

PAGE 4-5

PAGE 6-7 PAGE 8-9 PAGE 10-11 PAGE 12-19 PAGE 20-23 PAGE 24-25 PAGE 26-27 PAGE 28-29 PAGE 30-31 PAGE 32-34 ADVANTAGES WITH ZEHNDER TYPES OF FRESH AIR SUPPLY THE ZEHNDER COMPLETE SYSTEM AREAS OF APPLICATION VENTILATION UNITS AIR DISTRIBUTION SYSTEM ALL ADVANTAGES AT A GLANCE SERVICE REFERENCES QUESTIONS PRODUCT OVERVIEW ABOUT THE ZEHNDER GROUP

PAGE 28-29

Zehnder – the brand that ensures all-round peace of mind with comfortable indoor ventilation

Are these situations familiar?

Ventilation systems are complex

Providing the right components for a ventilation system that always works requires a great deal of experience.

You benefit from a significant brand's decades of experience...

Time-consuming installation

Complicated units or accessories that do not fit together can cause a great deal of stress on site and make it difficult to keep to deadlines. Due to simple and quick installation, you can enjoy peace of mind...

Growing challenges

A growing number of regulations, standards and more demanding requirements on performance and energy saving make it difficult to find suitable solutions or to stand out from the crowd. Due to innovative solutions and training, you can rise to every challenge...

How Zehnder provides you with reliable solutions:

... and enjoy peace of mind at all times

- Zehnder has extensive experience in the development, production and distribution of ventilation systems, and is a pioneer on the market
- We also offer the best service to provide you with consistent support before, during and after a project

... and work efficiently at all times


- Zehnder offers an overall system with components that are perfectly matched to one another and are easy and quick to install
- Our extensive services are always on hand to offer you support

... and have a clear competitive advantage

- Zehnder offers solutions for every challenge, no matter how big or small. It does this with highly innovative products that are at the forefront of technology and exceed the latest energy standards.
- Zehnder's extensive training portfolio allows you to become an expert in indoor ventilation

There are many types of fresh air supply, but which is the best?

From simply opening windows to mechanical supply and extract air – there are many ways of getting fresh air indoors. Here is a quick overview of the advantages and disadvantages of each.




Window ventilation

- Air volume supply is not defined (depends on wind/outside temperature)
- Either too much or too little fresh air supply
- Manual operation needed
- Risk of break-in, noise disturbance, allergy problems
- Large amount of energy lost in winter; heating energy escapes through open windows

Supply air system only

- No humidity control
- Fresh air is not distributed evenly
- No practical experience in residential buildings, only in large projects


	А	В
Comfort		_
Energy efficiency		-
Health		-
Peace of mind		+ +



Supply and extract air system with heat recovery, decentralised

- + Great comfort from pre-heated air
- + Reduced energy consumption due to heat recovery
- + Fresh air supply is always clean due to filters in the supply air
- + Control of air volume
- + No air distribution
- Single room ventilation only

	E
Comfort	+
Energy efficiency	+
Health	+ +
Peace of mind	+ +



Extract air system only

- + Sufficient fresh air supply through outdoor air passages
- + No humidity build-up
- Ventilation heat loss too high
- Thermal output too high close to the outdoor air passages (energy consumption too high)
- Unfiltered fresh air supply

Supply and extract air system with heat recovery

- + Great comfort from pre-heated air
- + No draughts
- + Reduced energy consumption due to heat recovery
- + Fresh air supply is always clean due to filters in the supply air
- + Control of air volume in all rooms
- Air distribution system needed

C	D
-	+ +
-	+ +
+	+ +
+ +	+ +

Compatible and easy to install: complete systems that are ideally suited

VENTILATION UNITS

Ventilation units with up to 95% heat recovery

Modern ventilation units from Zehnder – whether centralised, decentralised or designed for large projects – all meet the very highest energy efficiency requirements.

PAGE 12-19



STEM EXPANSIONS

PAGE 12-19

Sub-soil heat exchanger and cooling unit for pre-tempering and dehumidifying

The Zehnder ComfoFond-L Q sub-soil heat exchanger tempers the air in both winter and summer – contributing to better energy efficiency. The Zehnder ComfoCool Q cooling unit tempers and dehumidifies the supply air on warm days.

DECENTRAL UNITS


Easy installation and maximum comfort

The decentralised comfort ventilation units Zehnder ComfoAir 70 and Zehnder ComfoSpot 50 are a perfect match for renovation and new builds- quick to install, easy control, compact heat exchanger and additionally a simple but elegant design.



PAGE 15

Convenient for everyone involved – the Zehnder complete system provides all components from one source. All projects and purposes can be covered by the comprehensive range of products. The perfectly matched components are easy to plan and install, maintain and clean. User-friendly handling ensures comfort when using on an everyday basis.



CONTROL UNITS

Highly convenient operating options

The extensive range of operating solutions offers the right concept for every need – from the app, to a KNX interface, right through to the operating portal. The portfolio is supplemented by both sensorcontrolled and classic control panels.

Complete air management solutions for every building situation


Zehnder's complete system of ventilation tubes, attenuators, distribution manifolds, as well as supply and extract air systems, deliver a superior solution for every building situation.

AIR OUTLETS

Designer grilles for the perfect appearance

Our award-winning designer grilles are elegant and functional. They optimise the supply and extract air simultaneously.











The perfect solution for any building situation

From Passive House new builds to renovations, from one-room apartments to large buildings, the extensive range of products for comfortable indoor ventilation from Zehnder offers the perfect solution for any build situation. We work with you to produce the right system – from the right output system layout of the ventilation unit to the ideal air distribution.

ZEHNDER +

- Zehnder ventilation systems make it possible to achieve the maximum potential for energy saving – so you are guaranteed to meet tomorrow's energy standards today
- Ventilation units and air distribution systems are easy to install due to self-explanatory components
- Indoor climate is even better due to sensor-controlled solutions
- One of the quietest comfort ventilation systems on the market due to complete systems that are designed to work together


Centralised

The functional principle of comfortable indoor ventilation, taking the example of a single-family home

Fresh air enters the system via an external wall vent. The fresh
 outside air can optionally flow through the Zehnder ComfoFond-L Q sub-soil heat exchanger, which uses geothermal energy to pre-temper the outside air.

2 The Zehnder ComfoAir Q ventilation unit recovers up to 95% of the energy from the extract air and returns it to the fresh air. This can be humidified, dehumidified, heated and tempered using optional components.

3 The Zehnder ComfoFresh air distribution system supplies fresh air at the optimum temperature to the individual rooms as required. The extract air is discharged to the outside. The air volume can be individually adjusted for each room.



Decentralised

Renovation example

Here, an individual room is ventilated without a centralised air distribution system being used. In this case, you can also enjoy all the advantages of comfortable indoor ventilation (heat recovery, humidity recovery, optimum ventilation) and maximum energy efficiency due to the compact Zehnder ComfoSpot 50 or ComfoAir 70 ventilation units.

Easy to install

Both units have a washable enthalpy exchanger and can be installed easily and quickly. Intrusion into the living space is minimal – due to their compact dimensions, they can be integrated perfectly into the environment. High-quality fans and good insulation ensure they are very quiet to operate.

Large centralised project

Multiple-family home example

Light work can also be made of large projects with comfortable indoor ventilation by working with Zehnder.

These projects often involve low-energy houses with high levels of air density as well as high noise protection and ventilation standards. Moreover, if a large number of people are constantly in the building, stale air is usually inevitable.

In such difficult conditions, Zehnder ventilation units ensure maximum comfort with high output and, at the same time, high energy efficiency:

- Comfortable indoor ventilation with heat recovery

 also possible with Zehnder commercial units for large projects
- Constantly fresh air despite buildings designed to be airtight
- Stale air is removed
- Noise protection level is adhered to
- Cellars are protected against summer humidity



Innovative units that meet the highest energy standards

Zehnder ventilation units provide rooms with a permanent supply of fresh and healthy air. They operate quietly and, due to heat recovery, are so energy-efficient that they already meet the standards of the future today. Offering a diverse range of control options, they simply make the user's life more comfortable.



Zehnder comfort ventilation units have the very highest energy efficiency class, A+ (depending on the chosen control unit/sensor technology)



Sub-soil heat exchanger Zehnder ComfoFond-L Q

System expansion (option)

Centralised

Sub-soil heat exchanger Zehnder ComfoFond-L Q

- Uses the constant ground temperature to pre-heat the outdoor air in winter and temper it in summer
- Geothermal energy is used sustainably, which saves the need to use a pre-heater in winter and delivers cool supply air in summer
- Works without extra energy
- Compact, quick installation directly adjacent to the ventilation unit
- Brine pump with energy efficiency class A
- Air exchange even with low outside temperatures

Various control options for Zehnder ComfoAir Q ventilation unit

















ZEHNDER +

- Easy installation and commissioning due to flexible connections, reliable plug-and-play installation and guided commissioning wizard
- Ease of use is optimised through an intuitive display, an app function and a remote monitoring option
- Simple maintenance: all components are easily accessible



Ventilation unit Zehnder ComfoAir Q

- consumption due to the very latest fan technology
- Maximum heat recovery with innovative air volume balancing
- Ideal supply air temperatures with modulating by-pass
- User-friendly operation: from switch to app, everything is possible
- Right-hand and left-hand configuration available in one unit for peace of mind during planning and installation
- For active tempering and dehumidification of the outdoor air

Cooling unit

Zehnder ComfoCool Q

System expansion (option)

- In combination with ComfoAir Q 600 ST
- Does not require an extra wall opening to the outside

zehot

- Just one unit for the entire apartment
- Fresh air and the right temperature in any season
- Pleasant tempering of the air on hot days



Centralised



Ventilation unit Zehnder ComfoAir 180

- Complete system with minimum dimensions and maximum output, ideal for the kitchen cabinet
- Compact, powerful and flexible to install
- Discreet design: can be integrated invisibly into the living space
- Efficient: 180 m³/h air output at 150 Pa, up to 95% heat recovery, for apartments up to 120 m²
- Convenient to install due to an air distribution system optimised for installation and variable connections
- Astoundingly quiet due to components that are perfectly designed to work together for practically silent operation





PAUL



Ventilation units from Paul Novus 300/450, Focus 200, Climos 200

- Compact premium class heat recovery units
- Maximum energy efficiency due to patented heat exchanger
- Available in variants with volume flow ranges of 45 m³ to 450 m³
- Extensive product range for the passive house sector





Decentralised



Ventilation unit Zehnder ComfoSpot 50

- Decentralised comfort ventilation unit with heat and humidity recovery for venting individual rooms
- Ideal for renovation projects or new builds
- Up to 55 m³/h air output
- Simple and quick installation, minimal intrusion into the living space
- Enthalpy exchanger for especially good indoor climate and a high degree of energy efficiency
- Hygienically flawless due to washable enthalpy exchanger
- Particularly quiet operation due to high-quality fans and good insulation
- Synchronous supply and extract air operation for continuous heat and humidity recovery
- Free of condensate due to enthalpy exchanger for a clean façade

Discover the easy installation method and how it works at: www.international.zehnder-systems.com/products-andsystems/comfosystems/zehnder-comfospot-50





Left: schematic representation of installation

Right: beautiful design on the inside, discreet on the building wall

Ventilation unit Zehnder ComfoAir 70

- Decentralised comfort ventilation unit with heat and humidity recovery for venting individual rooms, including twin-room connection
- Up to 70 m³/h air output
- Intuitive operation with capacitive button
- Enthalpy exchanger for especially good indoor climate and a high degree of energy efficiency
- No condensate to dispose of down the façade of the building and no condensate container





Centralised large projects











Ventilation unit Zehnder ComfoAir XL


- Heat recovery units with up to 90% heat recovery
- Plenty of control options for high levels of comfort
- 6 different capacities of between 800 and 6000 m³/h volume flow
- 2 unit variants for interior and exterior mounting
- Unique, air-tight housing
- Easily accessible connection PCB
- Unit easy to configure at specific operating point
- 100% by-pass possible
- For use in offices and multiple-family homes

Innovative technology that inspires confidence

Zehnder comfort ventilation systems offer innovative technology for heat and humidity recovery and are equipped with an automatic by-pass. They provide compelling functions that are easy to set and highly efficient. There is also the option of adding system expansions for tempering and dehumidifying.



All Zehnder ComfoAir ventilation units have technology for heat recovery as standard and are fitted with a by-pass to keep the air at an ideal temperature even during the warm season.



FRESH OUTDOOR AIR

OURS, GASES

CONTAMINATION

BATHRO

UPPLY AIR

INTERIN



Energy savings of up to 50% due to heat recovery of up to 95%: Patented cross-counterflow heat exchangers in the Zehnder ventilation units transfer the thermal energy of the stale extract air to the fresh supply air.

Humidity recovery

Humidity and heat for the fresh supply air: Due to the enthalpy exchanger up to 65% of moisture in the extract air can be recovered. Steam diffuses through the open membrane. Humidity and heat are transfered to the fresh supply air – ideal if air is too dry in the winter.



By-pass

Prevents pre-heating in the summer: Zehnder ventilation units are equipped with an automatic 100% by-pass. The warm extract air passes by the heat exchanger so that the cooler outdoor air is not heated. When a sub-soil heat exchanger is connected (as an option), the by-pass also prevents the outdoor air that was pre-cooled by the sub-soil heat exchanger from being heated.





Tempering, dehumidification

Comfort on muggy summer days: Zehnder offers two alternatives for pleasantly tempering air: the Zehnder ComfoFond Q sub-soil heat exchanger, which uses the temperature of the soil (in winter the outdoor air is pre-heated), and the Zehnder ComfoCool Q cooling unit, in which the air is actively tempered and dehumidified using a heat pump.

The air distribution system that has everything covered

The perfect addition to the ventilation unit: This harmonised system supplies fresh air to all rooms and removes stale, moist, contaminated air and odours. It is simple and flexible to install, quiet and faultless to operate.





ZEHNDER +


- Components available for all building situations
- Simple and time-saving installation due to self-explanatory air distribution components
- Air distribution possible in ceiling, wall and floor with round tube, flat tube or combination solutions
- Peace of mind due to certified guarantee and durable products

Take a look at our air distribution system that has everything covered and be convinced.

You can find its installation videos at http://www.international. zehnder-systems.com/comfofresh

Simple routing every time: air distribution variants

Variants with round or flat tubes are available for the air distribution. So you can be highly flexible when handling any build situation. Both can be integrated easily into the building and fitted with speed. Simply select the best variant for you – or combine the two if that makes more sense.





Space-saving, quiet and quickly installed: Zehnder ComfoWell

The modular Zehnder ComfoWell system consists of any combination of attenuators, filters and distribution manifolds, each available in three widths. Even if things are really tight – the smallest variant of the attenuator and distribution manifold combination needs just 55 cm of space.

ZEHNDER +

- The only attenuator on the market which can be cleaned
- All air treatment functions available: attenuator, fine filter, active carbon filter, manifold box
- Components connected with sliding profiles for easy mounting
- Pipes easily connected by end pieces with connectors
- Maximum noise reduction through the option of connecting two attenuators in series



Good design coupled with functionality

The visible side of our indoor ventilation concept isn't just functional, it looks great too.

ZEHNDER +

- Huge choice of air outlets and designer grilles
- Optimum supply of fresh air without draughts
- A special flow pattern developed by Zehnder means that the wall and ceiling do not get dirty
- Pipe system is not contaminated by filter for extract air outlets – only Zehnder provides this






Fresh air - distributed very quietly

The supply air is silently mixed with the room air using the supply air and extract air valves. Suitable designer grilles complete the air distribution system.

The ventilation system that is advantageous for everyone

Comfortable indoor ventilation with Zehnder is optimised for the needs of installers, planners and architects just as much as users. Here you can see the benefits this brings you at a glance.



+ ADVANTAGES FOR INSTALLERS

Support from a big brand

- With decades of experience in the development, production and distribution of ventilation units, as well as air distribution and system components, Zehnder is a pioneer on the market
- Extensive know-how in every business area makes it possible for Zehnder to guarantee its customers a high level of certified quality
- The best service that provide you with support before, during and after a project


Competitive advantages due to innovative solutions and training

 Zehnder develops highly innovative products that are at the forefront of technology and exceed the latest energy standards

- Zehnder provides solutions for every requirement, no matter how individual
- Zehnder offers an extensive training portfolio
 from layout and planning, to installation and commissioning, all the way through to maintenance

Comprehensive carefree package

- Zehnder relies on an overall system composed of perfectly matched components
- Easy and quick installation
- Zehnder offers extensive support before, during and after installation of a Zehnder ventilation system, including commissioning service and customer service offers



+ ADVANTAGES FOR USERS

With Zehnder, you can make the perfect choice for an ideal indoor climate every time. Comfortable indoor ventilation systems from Zehnder provide the highest level of living comfort. Come and see for yourself. At **www.international.zehnder-systems.com** and in the end customer brochure, you will find additional important information on the following topics:

- Improving health and well-being
- Comfort for the entire family
- Saving energy and money at the same time
- Retaining the value of your property





+ ADVANTAGES FOR PLANNERS AND ARCHITECTS

Peace of mind

- Zehnder provides peace of mind when planning: energyefficient complete solutions, certified and guaranteed
- Less planning work due to competent advice and support in layout and output calculations

Meet current standards

- With Zehnder, you are always up to date with environmental certifications and intelligent control technology
- Consistent compliance with all standards due to qualitychecked systems
- The ability to meet the most demanding of customer requirements due to innovative ventilation units, state-of-the-art methods and many options such as tempering/pre-heating options

MORE SUPPORT

Less stress at work – with a strong partner by your side

CONSTANT SUPPORT BEFORE, DURING AND AFTER COMPLETION OF A PROJECT

Advice

We support installers in person during the process of planning ventilation systems:

- Determination of air volumes
- Selection of suitable units
- Personal contact


Using the online planning tool Comfoplan, which you can find at inernational.zehnder-systems.com/ comfosystems, simply enter the building's details and get complete planning data in no time:

- Calculations of air volumes
- List of actions required
- Complete list of materials

Training

At the Zehnder ACADEMY, we train you and help you become an indoor ventilation expert:

- Seminars at Zehnder
- Qualified trainers



Sales support

We use appealing and informative measures to help ensure your success:

- Extensive range of documentation material to help you maintain a professional appearance
- Consistently keeping you informed about the latest topics, such as the energy efficiency label

Zehnder also provides valuable online support:

- See a quick and simple explanation of the advantages of comfortable indoor ventilation with Zehnder's explanatory videos
- The latest installation videos provide simple installation explanations or advice

Service

When it comes to service too, we provide all the ingredients required to ensure a good partnership.



Three buildings, three challenges, three comfortable indoor ventilation solutions

Zehnder solutions for indoor ventilation provide relaxed solutions to every building challenge. From large projects to small units – from apartments to commercial buildings.

01 A SIMPLE SOLUTION FOR VENTILATING A NUMBER OF ROOMS



Almere, Netherlands Residential complex, renovation of 171 apartments



Challenge

Renovating 171 apartments that are approximately 20 years old. Bathroom and kitchen renovation plus replacement of domestic fans in a very tight space in the engineering rooms.

Solution

The existing installation for ventilation was replaced with the Zehnder ComfoFan S domestic fans. The compact housing and the high energy output were the key factors as far as the developers were concerned. Now all the inhabitants benefit from permanent air exchange and do not need to fear health problems arising from the formation of mildew.

Products used

171 ComfoFan S units

02 PROTECTING A PASSIVE HOUSE FROM HUMIDITY



OCATION PROJECT TYPE France Passive house new build, single-family home



Challenge

Air exchange in a passive house new build (165 m²) while at the same guaranteeing the inhabitants' comfort.

Solution

A Zehnder ComfoAir 350 comfort ventilation unit and an additional Zehnder ComfoFond-L sub-soil heat exchanger formed the ventilation system for this project. This excellent solution provides permanent air exchange and all the advantages of comfortable indoor ventilation. At the same time, it also makes it possible to pleasantly pre-temper the supply air in winter as well as in summer.

Products used

- Zehnder ComfoAir 350 comfort ventilation unit
- Zehnder ComfoFond-L sub-soil heat exchanger

03 CONNECTING SMALL ROOMS TO A CENTRALISED SYSTEM QUICKLY



LOCATION PROJECT TYPE Neuried, Germany Office and residential building







Challenge

Renovating an office building with many different room sizes and floors – which require decentralised ventilation.

Solution

During the course of an extension, ventilation was added in the form of Zehnder ComfoAir 180. The ventilation unit was fitted in a wall cupboard, the EPP twin duct within the ceiling void. The ventilation tubes were insulated in between the battens in the ceiling.

Products used

- Zehnder ComfoAir 180
- Zehnder ComfoTube
- Zehnder air outlets



on comfortable indoor ventilation from Zehnder

What do I need to consider when planning and ordering?

Our ventilation units, accessories and air distribution systems are perfectly matched to one another. Everything is compatible – which makes the entire process much simpler.

Our service department, sales advisers and planning department are there to help at any time. Aren't such innovative products hard to install?

Simple installation, simple start-up, simple operation, simple maintenance: Zehnder develops its products with maximum comfort for both installers and end users in mind. How can I gain an insight into the units' functions, etc.?

Zehnder provides a very varied range of training courses covering numerous topics in its training centres: from the ventilation unit and unit control to planning and layout.



Do Zehnder ventilation systems comply with statutory requirements?

Hardly any manufacturers have been awarded as many certificates and design awards as Zehnder. So you can be sure that you always have the very latest technology and that all statutory requirements are met. How good are Zehnder solutions in terms of noise and hygiene?

All Zehnder solutions for indoor ventilation are very quiet and ensure excellent acoustic performance. And Zehnder is unbeatable when it comes to hygiene. The Zehnder ComfoWell attenuator can be cleaned and has a fully enclosed grille housing for clean installation – the filter caps above the air outlets prevent any dust from spreading.

The renowned Hygiene Institute of the Ruhrgebiet found our ventilation tubes with their smooth inner skin particularly good at removing dust – and the Kunstoffzentrum SKZ agrees. How energy-efficient are Zehnder ventilation units?

Zehnder comfort ventilation units such as Zehnder ComfoAir Q not only meet the current European standards with regard to their properties in the three areas of power consumption, level of efficiency and control – they even go above and beyond the requirements for 2018. All of this helps you to plan buildings with maximum comfort and energy efficiency in a future-proof way.



Overview of comfort ventilation units

		\$?	?	1 2	
	ComfoSpot 50	ComfoAir 70	ComfoAir 160	ComfoAir 180	ComfoAir 200
Dimensions (mainta					
Dimensions/weight	380	440	670	558	544
Length (mm)					
Height (mm)	374	660	864	680	1200
Depth (mm)	49	145	268	299	324
Weight from (kg)	8	24	30	22	30
Type of installation					
Wall					
Ceiling					-
Floor (lying)					
Floor with base					
Floor					
Energy efficiency class for:					
Demand control (depending on the sensor technology chosen)	-	-	A*	-	A
Time control (depending on the control unit chosen)	-	-	Α	Α	A
Manual control	B **	B **	-	-	-
Air volume					
Maximum air volume range (m³/h)	15-55	15-65	32-160	30-180	50-200
Recommended air volume range (m ³ /h)*	-	-	32-110	30-120	50-135
Energy efficiency					
Heat recovery (according to PHI)	-	85% (PHI)	89% (PHI)	82% (PHI)	92% (PHI)
Specific electrical power consumption [W h/m ³] (according to PHI)	-	0.24	0.36	0.27	0.42
Enthalpy exchanger for humidity recovery	Integrated	Integrated	Optional	Optional	Optional
By-pass	-	-	Yes	Yes	Yes
Accessories					
Filters (supply/extract air)	G4/G4	G4/G4	G4/G4	G4/G4	G4/G4
i more (ouppry/extract dil)	(optional supply air F7)				

* For nominal ventilation according to DIN 1946-6.

** Control unit is integrated in the unit.

1	1	NEW	NEW	NEW	••••••••••••••••••••••••••••••••••••••
ComfoAir 350	ComfoAir 550	ComfoAir Q 350 TR	ComfoAir Q 450 TR	ComfoAir Q 600 ST	ComfoAir XL 800-6000
<u></u>	725	775	775	705	
630 860	800	775 850	775 850	725 850	
580	569	570	570	570	Depends on unit variant
35	47	50	50	50	
	•			•	
					•
A*	A	A*	A*	A	-
Α	В	А	А	Α	-
A	В	А	А	Α	-
40-350	50-550	40-350	50-450	60-600	800-6000
40-330	50-370	40-350	50-450	60-420	Depends on unit variant
40-200	50-570	40-245	30-300	00-420	Depends on unit variant
84% (PHI)	84% (PHI)	90% (PHI)	89% (PHI)	87% (PHI)	Depends on unit variant
0.29	0.31	0.24	0.26	0.24	Depends on unit variant
Optional	Optional	Optional	Optional	Optional	Depends on unit variant
Yes	Yes		Yes (modulating)		Yes
G4/G4	G4/G4	G4/G4	G4/G4	G4/G4	
(optional supply air F7)	F7/G4				

Overview of comfort ventilation units

	*))	
	Climos 200	Focus 200	Novus 300	Novus 450	
Dimensions/weight					
-	594	752	792	792	
Length (mm)	1019	566	978	978	
Height (mm)	250	355	978 601	601	
Depth (mm)					
Weight from (kg)	25	25	50	50	
Type of installation					
Wall					
Ceiling					
Floor (lying)	•				
Floor with base					
Floor					
Energy efficiency class for:					
Demand control (depending on the sensor technology chosen)	А	A*	A*	A *	
Time control (depending on the control unit chosen)	В	Α	Α	A	
Manual control	В	A	A	A	
Air usluma					
Air volume	50-200	45-200	45-300	50-450	
Maximum air volume range (m ³ /h)	50-200	45-200	45-300	50-450	
Recommended air volume range (m ³ /h)*	50-135	45-135	45-200	50-300	
Energy efficiency					
Heat recovery (according to PHI)	84% (PHI)	91% (PHI)	93% (PHI)	89% (PHI)	
Specific electrical power consumption [W h/m ³] (according to PHI)	0.40	0.31	0.24	0.29	
Enthalpy exchanger for humidity recovery	Integrated	Optional	Optional	Optional	
By-pass	Yes	Yes	Yes (optional)	Yes	
Accessories					
	M5/M5	G4/G4	G4/G4	G4/G4	
Filters (supply/extract air)	(optional supply air F7)	(optional supply air F7)	(optional supply air F7)	(optional supply air F7	

The brand with the best indoor climate solutions.

FOUR COMPLEMENTARY PRODUCT LINES

The broad and clearly structured portfolio from the Zehnder Group is split into four product lines. Consequently, we can provide the right product, the perfect system and the matching service for all types of projects – from new builds to renovations, singleor multiple-family homes, as well as commercial projects. This variety ensures that our wealth of experience is continuously expanding, providing tangible added value to our customers on a daily basis.



Decorative radiators

Our individual decorative radiators for living and bathrooms not only make a home warmer but also more attractive. Created by renowned designers, they impress with excellent functionality.



Comfortable indoor ventilation

Our comfortable indoor ventilation is energy-efficient and provides a healthy indoor climate. It promotes the wellbeing of the occupants and increases the value of the property.



Heating and cooling ceiling systems

Zehnder heating and cooling ceiling systems are convenient and energy-efficient for heating and cooling. They are perfectly attuned to the relevant environment.



Clean air solutions

Clean air solutions from Zehnder reduce the level of dust in the air, create a healthier working climate and reduce the amount of cleaning required.

NUMBERS THAT SPEAK FOR THEMSELVES

MANUFACTURER OF THE

1ST STEEL RADIATOR IN THE 121 YEARS OF INNOVATIVE TRADITION



AROUND **3,000** EMPLOYEES

> REPRESENTED IN COUNTRIES

9

BRANDS THAT OFFER VARIETY



The Zehnder brand offers excellent indoor climate solutions within the sectors of decorative radiators, clean air solutions, comfortable indoor ventilation and heating and cooling ceiling systems.



The Runtal brand develops and manufactures exclusive radiators combining innovative technologies with unique designs.



Zehnder Group Deutschland GmbH · Sales International · Almweg 34 · 77933 Lahr · Germany T +49 7821 586-392 · F +49 7821 586-406 international.sales@zehndergroup.com · www.international.zehnder-systems.com