

**zehnder**
















Zehnder Nestsystems


International Sales





Product List

## Index

<b>Zehnder Nestsystems</b>	Wall and ceiling radiant conditioning	2
	Floor radiant conditioning	3
<b>Zehnder Hydronic Kit</b>	Manifolds and fittings	5
	CT – Box	6
<b>Zehnder Control</b>	Controls	7
<b>Zehnder Dew</b>	Dehumidifiers	8
	Accessories	9

Product	Specifications	Code	
	<p><b>Radiant Panel Zehnder NIC at ceiling</b></p> <p>Zehnder NIC 600 radiant panel with PE-Xa pipe and insulation in EPS 1200 x 2000 mm</p> <p>Zehnder NIC 300 radiant panel with PE-Xa pipe and insulation in EPS 1200 x 1000 mm</p> <p>Zehnder NIC 150 radiant panel with PE-Xa pipe and insulation in EPS 1200 x 500 mm</p> <p><i>The radiant panel Zehnder NIC is available on request without insulation or with different insulation .</i></p>	<p><b>02 000 129</b></p> <p><b>02 000 130</b></p> <p><b>02 000 131</b></p>	
	<p><b>Closing panel NIC in EPS</b></p> <p>1200 x 2000 mm</p>	<b>02 000 003</b>	
	<p><b>Ceiling metal panels</b></p> <p>Radiant plate in aluminium 500 x 500mm</p> <p>Rockwool insulation 70 Kg/m<sup>3</sup> 570 x 570mm</p> <p>Straight fast connection Ø8 pipe for radiant plate 500 x 500 mm</p>	<p><b>02 000 081</b></p> <p><b>02 000 137</b></p> <p><b>02 000 142</b></p>	
	b-racor Ø20 - Ø 8 (dismountable) Fast connection fitting	<b>02 000 118</b>	
	Tang in-serie connection for b-racor	<b>02 000 119</b>	
	Elbow 90° Ø 20 - Ø 20 pipe	<b>02 000 122</b>	
	Tee piece-union Ø 20 - Ø 20 - Ø 20 pipe	<b>02 000 123</b>	
	Straight connecton Ø 20 - Ø 20 pipe	<b>02 000 120</b>	
	Straight connection Ø 8 - Ø 8	<b>02 000 121</b>	
	Plug end line Ø 20	<b>02 000 124</b>	
	Plug end line Ø 8	<b>02 000 125</b>	
	Insulation shell for b-racor with closing clip	<b>02 000 132</b>	
	No condensation adhesive tape - roll 10 m	<b>02 000 020</b>	
	Kit panel repair Zehnder NIC	<b>02 000 078</b>	
	<p><b>Multilayer Pipe</b></p> <p>Ø 20 x 2 insulated - roll 50 m – price at m</p>	<b>04 000 112</b>	
	<p><b>PE-Xa Pipe</b></p> <p>Ø 8 x 1 with oxigène barrer - roll 200 m – price at m</p>	<b>02 000 128</b>	
	<p>Insulation for <b>PE-Xa pipe</b></p> <p>Ø 8 internal in elastomer - 2 m</p>	<b>02 000 021</b>	





Product	Specifications	Code		
	<p><b>Distribution modular plastic manifold complete with couple of clamps , pipe unions , couple manual air holes and drain cocks and no return valve, fluximeters with flow regulators and actuator connections .</b></p> <p>Plastic manifold 2 way nylon 1 ¼"</p> <p>Plastic manifold 3 way nylon 1 ¼"</p> <p>Plastic manifold 4 way nylon 1 ¼"</p> <p>Plastic manifold 5 way nylon 1 ¼"</p> <p>Plastic manifold 6 way nylon 1 ¼"</p> <p>Plastic manifold 7 way nylon 1 ¼"</p> <p>Plastic manifold 8 way nylon 1 ¼"</p> <p>Plastic manifold 9 way nylon 1 ¼"</p> <p>Plastic manifold 10 way nylon 1 ¼"</p> <p>Plastic manifold 11 way nylon 1 ¼"</p> <p>Plastic manifold 12 way nylon 1 ¼"</p> <p>Plastic manifold 13 way nylon 1 ¼"</p> <p>Plastic manifold 14 way nylon 1 ¼"</p> <p>Plastic manifold 15 way nylon 1 ¼"</p> <p>Plastic manifold 16 way nylon 1 ¼"</p>	<p><b>05 000 126</b></p> <p><b>05 000 127</b></p> <p><b>05 000 128</b></p> <p><b>05 000 129</b></p> <p><b>05 000 130</b></p> <p><b>05 000 131</b></p> <p><b>05 000 132</b></p> <p><b>05 000 133</b></p> <p><b>05 000 134</b></p> <p><b>05 000 135</b></p> <p><b>05 000 136</b></p> <p><b>05 000 144</b></p> <p><b>05 000 145</b></p> <p><b>05 000 146</b></p> <p><b>05 000 147</b></p>		
		<p>Ball valve 1 ¼"</p>	<p><b>05 000 141</b></p>	
		<p><b>Electrothermal actuator</b></p> <p>Actuator 24V</p> <p>Actuator 220V</p> <p>Actuator 220V with micro</p> <p>Actuator 24V with micro</p>	<p><b>05 000 027</b></p> <p><b>05 000 028</b></p> <p><b>05 000 112</b></p> <p><b>05 000 113</b></p>	
		<p><b>Manifold metallic box</b></p> <p>Manifold box 2 - 5 way - 500 x 750 x 110 mm</p> <p>Manifold box 6 - 9 way - 700 x 750 x 110 mm</p> <p>Manifold box 10-12 way / CT Box Multi Heat - 850 x 750 x 110 mm</p> <p>Manifold box 13 - 16 way - 1000 x 750 x 110 mm</p>	<p><b>05 000 151</b></p> <p><b>05 000 152</b></p> <p><b>05 000 153</b></p> <p><b>05 000 154</b></p>	
		<p><b>Fast fitting connection pipe-manifold</b></p> <p>Fitting Ø 17 for manifold</p> <p>Fitting Ø 20 for manifold</p>	<p><b>05 000 142</b></p> <p><b>05 000 143</b></p>	
		<p><b>Nipples</b></p> <p>Nipples for connection at manifold</p>	<p><b>05 000 150</b></p>	
		<p><b>Fitting</b></p> <p>Mechanical fitting Ø 16 x 2 multilayer pipe</p> <p>Mechanical fitting Ø 17 x 2 PE-Xa pipe</p>	<p><b>04 000 050</b></p> <p><b>04 000 102</b></p>	
		<p><b>Plug</b></p> <p>Manifold plug</p>	<p><b>05 000 155</b></p>	

Product	Specifications	Code	
	<p><b>Zehnder CT-Box 1200</b></p>		
	<p>Zehnder CT-Box without mix – fix flow pump</p>	<p><b>13 000 106</b></p>	
	<p>Zehnder CT-Box with mix - fix flow pump</p>	<p><b>13 000 104</b></p>	
	<p>Zehnder CT-Box without mix - variable flow pump</p>	<p><b>13 000 258</b></p>	
	<p>Zehnder CT-Box with mix – variable flow pump</p>	<p><b>13 000 257</b></p>	
	<p><b>Cassetta Zehnder CT-Box 1200 for manifold</b></p>		
	<p>Metal box Zehnder CT-Box 1200 manif. 3 way - 850x750x150 mm</p>	<p><b>13 000 268</b></p>	
	<p>Metal box Zehnder CT-Box 1200 manif. 4 - 6 way - 1000x750x150 mm</p>	<p><b>13 000 269</b></p>	
	<p>Metal box Zehnder CT-Box 1200 manif 7 - 10 vie - 1200x750x150 mm</p>	<p><b>13 000 124</b></p>	
	<p><b>Zehnder CT-Box 2000</b></p>		
	<p>Zehnder CT-Box without mix – fix flow pump</p>	<p><b>13 000 131</b></p>	
	<p>Zehnder CT-Box con miscelatrice - pompa portata fissa</p>	<p><b>13 000 128</b></p>	
	<p>Zehnder CT-Box senza miscelatrice - pompa portata variabile</p>	<p><b>13 000 260</b></p>	
	<p>Zehnder CT-Box con miscelatrice - pompa portata variabile</p>	<p><b>13 000 259</b></p>	
	<p><b>Zehnder CT-Box 2000 - 1000x930x150mm</b></p>	<p><b>13 000 266</b></p>	
	<p><b>Zehnder CT-Box 3000</b></p>		
	<p>Zehnder CT-Box without mix – fix flow pump</p>	<p><b>13 000 132</b></p>	
	<p>Zehnder CT-Box with mix - fix flow pump</p>	<p><b>13 000 129</b></p>	
	<p>Zehnder CT-Box without mix - variable flow pump</p>	<p><b>13 000 262</b></p>	
	<p>Zehnder CT-Box with mix – variable flow pump</p>	<p><b>13 000 261</b></p>	
	<p><b>Zehnder CT-Box 4000</b></p>		
	<p>Zehnder CT-Box without mix – fix flow pump</p>	<p><b>13 000 133</b></p>	
	<p>Zehnder CT-Box with mix - fix flow pump</p>	<p><b>13 000 130</b></p>	
	<p>Zehnder CT-Box without mix - variable flow pump</p>	<p><b>13 000 264</b></p>	
<p>Zehnder CT-Box with mix – variable flow pump</p>	<p><b>13 000 263</b></p>		
<p><b>Metal box Zehnder CT-Box 3000 – 4000 - 1000x1100x150mm</b></p>	<p><b>13 000 267</b></p>		

Product	Specifications	Code	
	<p><b>Zehnder Control BUS</b> With wired cabinet</p> <p>Zehnder Control BUS 8-1 (max 5 CFBTH 1 e 3 CBT 2) Zehnder Control BUS 10-1 (max 7 CFBTH 1 e 3 CBT 2)</p>	<p><b>01 000 264</b> <b>01 000 265</b></p>	
	<p>Built-in plastic box for Zehnder Control BUS 8-1, 10-1</p> <p>Wall plastic box for Zehnder Control BUS 8-1, 10-1</p>	<p><b>01 000 210</b> <b>01 000 211</b></p>	
	<p><b>Zehnder Control BUS 20-2; 90-4</b></p> <p>Zehnder Control BUS 20-2 (20 zones, 2 mix) Zehnder Control BUS 90-4 (90 zones, 4 mix) Zehnder Control BUS 20-2 wired (20 zones, 2 mix) Zehnder Control BUS 90-4 wired (90 zones, 4 mix)</p>	<p><b>01 000 245</b> <b>01 000 246</b> <b>01 000 247</b> <b>01 000 248</b></p>	
	<p>Built-in plastic box for Zehnder Control BUS 20-2; 90-4</p> <p>Wall mounted for Zehnder Control BUS 20-2; 90-4</p>	<p><b>52 000 375</b> <b>52 000 376</b></p>	
	<p><b>Room sensors BUS</b></p> <p>Cronosonda Zehnder CFTH BUS Cronosonda Zehnder CT BUS Cronocontrollo for ComfoAir Basic C3V BUS</p> <p><b>Room sensors</b></p> <p>Cronothermostate Zehnder CT 1 Cronothermostate Zehnder CT 2 Cronosonda Zehnder CFTH</p>	<p><b>01 000 232</b> <b>01 000 239</b> <b>01 000 267</b>  <b>01 000 242</b> <b>01 000 253</b> <b>01 000 240</b></p>	
	<p><b>Components and control accessories BUS</b></p> <p>Probe PT 1000 input water temperature with hole Probe PT 1000 external air temperature</p> <p>Network terminal BUS</p> <p>Network amplifier BUS</p> <p>Zehnder Control Vision for Zehnder Control BUS 20-2 e 90-4</p> <p>Manifold card network BUS</p> <p>Interface card Zehnder Dew</p> <p>Zehnder Web Panel for Zehnder Control, model HD Zehnder Web Panel kit assembly built-in Kit assembly wall</p> <p>Supervision 485 for Control Supervision Ethernet for Control Interface for supervision connection Modbus Interface for supervision connection Modbus Ethernet Interface for supervision connection Konnex</p>	<p><b>01 000 179</b> <b>01 000 178</b>  <b>01 000 203</b>  <b>01 000 251</b>  <b>01 000 250</b>  <b>01 000 215</b>  <b>01 000 218</b>  <b>01 000 252</b> <b>01 000 256</b> <b>01 000 257</b>  <b>01 000 167</b> <b>01 000 254</b> <b>01 000 221</b> <b>01 000 243</b> <b>01 000 244</b></p>	

Product	Specifications	Code	
	<p><b>Zehnder Dew</b> Isothermal dehumidifier with BUS card Wall version</p> <p>Zehnder Dew 200 P</p> <p>Metal box Zehnder Dew 200 P ABS grille paintable Zehnder Dew 200 P Grill supports for predisposition Zehnder Dew</p>	<p><b>06 000 070</b></p> <p><b>06 000 011</b> <b>06 000 010</b> <b>06 000 012</b></p>	
	<p><b>Zehnder Dew</b> Isothermal dehumidifiers With winter and summer thermal integration Predisposed for input ON/OFF or BUS network Ceiling version , ductable . <b>For indoor air dehumidification in recirculation</b></p> <p>Zehnder Dew 200 Zehnder Dew 350 Zehnder Dew 500 Zehnder Dew 700</p> <p>Aspiration plenum Zehnder Dew 200 (3connections with collar DN160) Aspiration plenum Zehnder Dew 350 (3connections with collarDN180) Input plenum Zehnder Dew 200 (3 connections with collar DN 125) Input plenum Zehnder Dew 350 (3 connections with collar DN 160)</p>	<p><b>06 000 064</b> <b>06 000 087</b> <b>06 000 089</b> <b>06 000 077</b></p> <p><b>06 000 072</b> <b>06 000 098</b> <b>06 000 071</b> <b>06 000 099</b></p>	
	<p><b>Zehnder ComfoDew</b> Isothermal dehumidifiers With winter and summer thermal integration Predisposed for input ON/OFF and BUS network Ceiling version , ductable . <b>For dehumidification coupled with climatic ventilation</b></p> <p>Zehnder ComfoDew 200 Zehnder ComfoDew 350 Zehnder ComfoDew 500</p> <p>Plenum aspiration ZHENDER Dew 350 Plenum input air ZHENDER Dew 350</p> <p><b>Input adapters CW 4 for Zehnder ComfoDew Dim. 220 x 230</b> <b>Input adapters CW 6 for Zehnder ComfoDew Dim. 320 x 230</b> <b>Input adapters CW 10 for Zehnder ComfoDew Dim. 520 x 230</b></p> <p><b>Plenum Zehnder Comfodew 200 ( DN 125)</b> <b>Plenum Zehnder Comfodew 200 ( DN 160)</b> <b>Plenum Zehnder Comfodew 350 ( DN 160)</b> <b>Plenum Zehnder Comfodew 500 ( DN 180)</b> <b>Plenum Zehnder Comfodew 350 ( DN 150)</b> <b>Plenum Zehnder Comfodew 200 ( DN 150)</b></p>	<p><b>06 000 085</b> <b>06 000 086</b> <b>06 000 088</b></p> <p><b>06 000 098</b> <b>06 000 099</b></p> <p><b>06 000 090</b> <b>06 000 083</b> <b>06 000 084</b></p> <p><b>06 000 096</b> <b>06 000 091</b> <b>06 000 097</b> <b>06 000 092</b> <b>06 000 101</b> <b>06 000 102</b></p>	

**Zehnder Nestsystems: tools**

Product	Specifications	Code	
	<p><b>Tools</b></p> <p>Hidraulic guillotine shears for Ø. 8 pipe                      Hidraulic guillotine shears for Ø. 20 pipe</p>	<p><b>02 000 105</b>  <b>02 000 107</b></p>	
	<p>Fix clips machine for Ø 17 – 20 pipes</p>	<p><b>04 000 070</b></p>	
	<p>De-winding for pipe</p>	<p><b>02 000 088</b></p>	
	<p><b>Tools</b></p> <p>Deburring –calibrator tool for Ø 17x2 PEX-a pipe                      Deburring –calibrator tool for Ø 8x1 PEX-a pipe                      Deburring –calibrator tool for Ø 20 x 2 multilayer pipe</p>	<p><b>04 000 178</b>  <b>04 000 138</b>  <b>02 000 089</b></p>	

**zehnder**